



Epson's original EcoTank L130 printer brings you better performance while delivering with an ultra-low running cost. Save more with Epson's low-cost ink bottles even as you enjoy high-quality printing.











Warranty Genuine Inks





*The total Colour CPP including black ink is 25 paise.





Superb Savings and Page Yield

At just ₹299 each, a bottle of black ink delivers an ultra-high yield of 4,500 pages for substantial savings.

Superb Print Speed

Speeds of up to 27 ppm enable super-fast printing.

Epson Warranty for Peace of Mind[^]

Enjoy warranty coverage of one year or 15,000 pages for assured quality and reliability.







Designed to support the Sustainable Development Goals (SDGs) set by the UN

Work faster and save more with the EcoTank L130 Printer that brings speedy performance with low running costs to all your personal and work projects. Working from home has never been more efficient or productive.



Superb Savings and Page Yield



Epson's proven original EcoTank System delivers reliable printing with unrivalled economy. At just ₹299 per bottle, Epson genuine ink bottles let you enjoy ultra-high page yields of up to 4,500 pages* (black) at very low running costs.

The L130 also features Epson's fast ink top-up technology for easy, mess-free refills. Special tubes in the printer ensure smooth and reliable ink flow at all times.



Space-saving Design

The L130 is compactly designed to take up less space than previous models. Its smaller footprint means it can fit comfortably anywhere in your home.



Superb Print Speed



Busy offices will appreciate the improved printing speeds of up to 27 ppm for draft black & white, and up to 7 ipm for default black & white prints. High-volume printing has never been this quick and efficient.

Unsurpassed Print Quality



An astoundingly-high resolution of 5760 dpi ensures exceptionally high-quality prints for all your personal and creative needs.

Epson Warranty for Peace of Mind



Enjoy Epson's warranty coverage of one year or 15,000 pages, whichever comes first, for maximum value from your printer and freedom from worries over its maintenance.

CONSUMABLES



Epson genuine inks are designed specifically to work with your Epson printer to deliver long-lasting results.



Epson speciality media is developed to complement Epson genuine inks to produce exceptionally-high quality prints.



MODEL NUMBER	
Printing	
rint Method	On-demand inkjet (piezoelectric)
ozzle Configuration	180 nozzles Black, 59 nozzles each colour (Cyan, Magenta, Yellow)
rint Direction	Bi-directional printing, Uni-directional printing
faximum Resolution	5760 x 1440 dpi (with Variable-sized Droplet Technology)
linimum Ink Droplet Volume	3 pl
	3 pi
rint Speed "1	
Max Draft Text - Memo A4	Approx. 27 ppm *1 / 15 ppm *2 (Bk / Cl)
ISO 24734, A4	Approx. 7.0 ipm / 3.5 ipm (Bk / Cl)
Max Photo Draft - 10x15cm/4x6" "2 #3	Approx. 27 sec per photo (With Border)
Photo Default - 10x15cm/4x6" "2#3	Approx. 69 sec per photo (With Border)
Pouble-sided Printing	Yes (Manual)
Copying	Too (Manaca)
Copy Speed	
Max Black Draft Text - Memo (A4)	N.A.
Max Colour Draft Text - Memo (A4)	N.A.
copy Mode	N.A.
Maximum Copies From Standalone	N.A.
canning	-
canner Type	N.A.
ensor Type	N.A.
Optical Resolution	N.A.
Maximum Hardware Resolution	N.A.
Maximum Scan Area	N.A.
Scanner Bit Depth	
Colour	N.A.
Grayscale	N.A.
Black & White	N.A.
Scan Speed	
Monochrome 300 dpi	N.A.
Colour 300 dpi	N.A.
Monochrome 600 dpi	N.A.
Colour 600 dpi	N.A.
	N.A.
Paper Handling	Edular for d
Paper Feed Method	Friction feed
Number of Paper Trays	1
Paper Hold Capacity	
Input Capacity	50 sheets, A4 Plain paper (75 g/m²)
, ,	10 sheets, Premium Glossy Photo Paper
Output Capacity	30 sheets, A4 Plain paper (Default Text - Memo) (Draft Text - Memo)
Опри Сарасну	
	20 sheets, Premium Glossy Photo Paper
Paper Size	(10 cm x 15 cm / 4" x 6", 13 cm x 18 cm / 5" x 7", 9 cm x 13 cm / 3.5" x 5")
	A4, A5, A6, B5, 10 cm x 15 cm (4" x 6"), 13 cm x 18 cm (5"x 7"), 9 cm x 13 cm (3.5"x 5"),
	Letter (8.5" x 11"), Legal (8.5" x 14"), Half Letter (5.5" x 8.5"), 13 cm x 20 cm (5" x 8"),
	20 cm x 25 cm (8" x 10"), 16:9 wide size, 100 mm x148 mm, Envelopes: #10 (4.125" x 9.5"),
	DL (110 mm x 220 mm), C6 (114 mm x162 mm)
Maximum Paper Size	8.5" x 44"
Print Margin ¹³	3 mm top, left, right, bottom
Connectivity	
Standard	USB - Compatible with the USB 2.0 Specification
Printer Software	
Operating System Compatibility	Windows XP/XP Professional x64 Edition/Vista/7/8/8.1
operating dystem compatibility	
	Mac OS X 10.6.8, 10.7.x, 10.8.x, 10.9.x
Electrical Specifications	
Rated Voltage	AC 100-240 V / 220-240 V
Rated Frequency	50~60 Hz
Power Consumption	
Operating	Approx. 9 W
Standby	Approx. 2.2 W
Sleep	Approx. 0.7 W
Power Off	Approx. 0.3 W
pson Genuine Inks	Page Yield '4 Order Code
Black	4,500 pages T6641
Oyan ງ	7,500 pages T6642
Magenta	7,500 pages (composite yield) T6643
ellow	T6644
pson Speciality Media	Order Code
Matte Paper Heavyweight A4	C13S041259
Glossy Photo Paper 4R	C13S042070
Glossy Photo Paper A4	C13S042071
remium Glossy Photo Paper 4R	C13S041863
Premium Glossy Photo Paper A4	C13S041285
Photo Quality Inkjet Paper A4	C13S041786
	C13S041925
	U100041320
Premium Semigloss Photo Paper 4R	
Premium Semigloss Photo Paper 4R Premium Semigloss Photo Paper A4	C13S041332
Premium Semigloss Photo Paper 4R Premium Semigloss Photo Paper A4 Varranty	C13S041332 1 year or 15,000 pages whichever comes first
Premium Semigloss Photo Paper 4R Premium Semigloss Photo Paper A4	C13S041332

Dimensions & Weight

L130

Weight: 2.7 kg (6.0 lb)





*1 Print speed (Pages Per Minute) is calculated when printed on A4 plain pager in the fastest mode, 10 x 15 cm photo print speed when printed on Epson Premium Glossy Photo Paper. Print speed may vary depending on system configuration, print mode, document complexity, or print speed on the print used and commedity. Print speed does not include processing time on host computer.







#1 Black text

#2 Black text and graphic

*2 When printed on Epson Premium Glossy Photo Paper.

*3 Via custom setting. Otherwise 3 mm top, left,

*4 Quoted vields are extrapolated based on Epson Quoted yields are extrapolated based on Epso original methodology from the print simulation of Test Patterns provided in ISO/IEC 24712. Quoted yields are NOT based on ISO/IEC 24711. Actual yields may vary depending on manner of usage and print pattern.

© 2019 Epson India Pvt. Ltd. All Rights Reserved © 2019 Epson India PM. Ltd. All Hights Heserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibit or EPSON and ECEED YOUR VISION are registered trademarks of Selko Epson Corporation. All other products rames and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations: only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Information correct as of April 2019

EPSON INDIA PVT. LTD.

12th Floor, The Millenia, Tower A, No.1, Murphy Road, Ulsoor, Bangalore - 560 008. Tel: 080-4566 5000 Fax: 080-4566 5005

Regional Offices: Ahmedabad - 3314 8500/01, Chennai - 3967 7500, Cochin - 4012 315, Coimbatore - 98942 19200, Kolkata - 4603 4714/15/29/30, Mumbai - 3079 8200, New Delhi - 3312 0300, Pune - 3028 6000/05, Hyderabad - 4857 0032, Jaipur - 78699 11699



^{*}Rated Voltage will vary depending on area